

Selected Internet Zooplankton Data Bases

- Integrated Taxonomic Information System (ITIS):
<http://www.itis.gov/>
- The European Register of Marine Species (ERMS):
<http://www.marbef.org/data/erms.php>
- The World Register of Marine Species (WoRMS):
<http://www.marinespecies.org>
- ICES Identification Leaflets for Plankton:
<http://www.ices.dk/products/fiche/Plankton/START.PDF>
- The Great Lakes water life photo gallery with a list of rotifer and crustacean sites:
<http://www.glerl.noaa.gov/seagrant/GLWL/GLWLife.html>
- International Code of Zoological Nomenclature:
<http://www.iczn.org>

Acknowledgements

The initial work for the Baltic Sea zooplankton identification guide was carried out in the frame of the “Ulrich Schiewer Laboratory for Experimental Aquatic Ecology” ,funded by the German Federal Ministry of Education and Research (FKZ 01DJ12107, USELab). Laboratory work for developing the identification guide was supported by the German Federal Ministry of Education and Research (FKZ 03F0674A, ZOODYN). Sergei Skarlato and Irena Telesh were supported by the Russian Science Foundation project # 22-14-00056.

References

- Ackefors, H., 1965. On the zooplankton fauna at Askö (The Baltic – Sweden). *Ophelia* 2 (2): 269–280.
- Ackefors, H., 1969. Ecological zooplankton investigations in the Baltic proper 1963-1965. *Inst. Mar. Res., Lysekil, Ser. Biol. Rep.* 18. 139 pp.
- Ackefors, H., 1971. *Podon polyphemoides* Leuckart and *Bosmina coregoni maritima* (P. E. Müller) in relation to temperature and salinity in field studies and laboratory experiments, *J. Exp. Mar. Biol. Ecol.* 7: 51–70.
- Aleksandrov, S.V., Zhigalova, N.N., Zezera, A.S., 2009. Long-term dynamics of zooplankton in the southeastern Baltic Sea. *Russian Journal of Marine Biology* 35: 296–304.
- Alekseev, V.R., 2002. Copepoda. In: *A Guide to Tropical Freshwater Zooplankton* (Fernando, C.H., Ed.), pp. 123–187. Backhuys Publishers, Leiden.
- Alekseev, V.R., Sukhikh, N., Abramson, N., 2009. Introduction of Sibling Species to the Ecosystem of the Baltic Sea. *Doklady Akademii Nauk* 429(5): 694–697.
- Antsulevich, A., Välipakka, P., 2000. *Cercopagis pengoi* – new important food object of the Baltic herring in the Gulf of Finland. *International Review of Hydrobiology* 85 (5–6): 609–620.
- Arndt, H., 1985. Eine Zählkammer für die mikroskopische Auswertung von Zooplanktonproben. *Wiss. Zeitschr. Univ. W.P. Univ. Rostock* 34: 30–31.
- Arndt, H., 1989. Zooplankton production and its consumption by planktivores in a Baltic inlet. *Proc. 21st Eur. Mar. Biol. Symp. Institute of Oceanology, Polish Academy of Sciences, Polish National Committee on Oceanic Research*: 205–214.
- Avinski, V.A., 1997. *Cercopagis pengoi* – a new species in the eastern Gulf of Finland ecosystem. *Proceedings of the Final Seminar of the Gulf of Finland Year 1996, March 17–18, 1997, Helsinki*: 247–256.
- BACC Author Team, 2008. *Assessment of climate change for the Baltic Sea Basin*. Springer, Berlin (etc.). 473 pp.
- Balcer, M.D., Korda, N.L., Dodson, S.I., 1984. *Zooplankton of the Great Lakes*. University of Wisconsin Press, Madison, WI.
- Barz, K., Hinrichsen, H.H., Hirche, H.-J., 2006. Scyphozoa in the Bornholm Basin (central Baltic Sea): the role of advection. *J. Marine Systems* 60: 167–176.
- Barz, K., Hirche, H.-J., 2005. Seasonal development of scyphozoan medusae and the predatory impact of *Aurelia aurita* on the zooplankton community in the Bornholm Basin (central Baltic Sea). *Mar. Biol.* 147: 465–476.
- Behrends, G., Viitasalo, M., Breuel, G., Kostrichkina, E., Sandström, O., Møhlenberg, F., Ciszewski, P., 1990. Zooplankton (4.6), pp. 181–198. In: *Helsinki Commission No. 35 B. Second Periodic Assessment of the State of the Marine Environment of the Baltic Sea, 1984–1988, Background Document*.
- Beyrend-Dur, D., Souissi, S., Devreker, D., Winkler, G., Hwang, J.S., 2009. Life cycle traits of two transatlantic populations of *Eurytemora affinis* (Copepoda: Calanoida): salinity effects. *J. Plankton Res.* 31(7): 713–728.
- Bielka, L., Zmijewska, M.I., Szymborska, A., 2000. A new predatory cladoceran *Cercopagis* (*Cercopagis*) *pengoi* (Ostroumov 1891) in the Gulf of Gdańsk. *Oceanologia* 42 (3): 371–374.
- Blümel, C., Domin, A., Krause, J.C., Schubert, M., Schiewer, U., Schubert, H., 2002. Der historische Makrophytenbewuchs der inneren Gewässer der deutschen Ostseeküste. *Rost. Meeresbiolog. Beitr.* 9: 5–111.

- Böckmann, S., 2013. Untersuchung der diurnalen Rhythmik der Vertikalwanderung von Zooplanktonpopulationen im Küstenbereich der süd-westlichen Ostsee. BSc-Thesis, Universität Rostock, 48 S.
- Böckmann, S., Seidler, M., Schubert, H., Kube, S., 2018. Population genetics of two allopatric (North Sea and Baltic Sea) populations of *Evadne nordmanni* (Podonidae): Similarities and differences. *Internat Rev Hydrobiol.* 103: 54–62. doi.org/10.1002/iroh.201701930
- Brandl, Z., 2002. Methodology and general ecology. In: *A Guide to Tropical Freshwater Zooplankton* (Fernando, C.H., Ed.), pp. 1–21. Backhuys Publishers, Leiden.
- Busch, A., Brenning, U., 1992. Studies on the status of *Eurytemora affinis* (Poppe, 1880) (Copepoda, Calanoida). *Crustaceana* 62: 13–38.
- Cassie, R., 1971. Statistics and sampling. In: *A Manual on Methods for the Assessment of Secondary Productivity in Freshwaters* (Edmondson, W.T., Winberg, G.G., Eds.). I.B.P. Handbook No. 17, Blackwell, Oxford. 358 pp.
- Chojnacki, J., 1983. Standardgewichte der Copepoden in der Pommerschen Bucht. *Int. Revue ges. Hydrobiol.* 68: 435–441.
- Chojnacki, J., 1986. Biomass estimation of *Temora longicornis* on the basis of geometric method. *Proceedings of the Second International Conference on Copepoda, Ottawa, Canada 13–14 August 1984, National Museums of Canada, National Museums of Natural Sciences, No. 58, pp. 534–538.*
- Chojnacki, J., Jankowski, M., 1982. Relationships between body volume and length of marine Cladocera in the eastern sector of Southern Baltic. *Wiss. Zeitschr. Univ. Rostock, Naturwiss. Reihe* 31(6): 31–35.
- Cognetti, G., Maltagliati, F., 2000. Biodiversity and adaptive mechanisms in brackish water fauna. *Marine Pollution Bulletin* 40: 7–14.
- Czaika, S.C., 1982. Identification of nauplii N1–N6 and copepodids CI–CIV of the Great Lakes calanoid and cyclopoid copepods (Calanoida, Cyclopoida, Copepoda). *J. Great Lakes Res.* 8 (3): 439–469.
- Desmarias, K.H., 1997. Keeping *Daphnia* out of the surface film with cetyl alcohol. *J. Plankton Res.* 19: 149–154.
- Dickey, J.W.E., Cuthbert, R.N., South, J., Britton, J.R., Caffrey, J., Chang, X., et al., 2020. On the RIP: using Relative Impact Potential to assess the ecological impacts of invasive alien species. *NeoBiota* 55: 27–60. <https://doi.org/10.3897/neobiota.55.49547>.
- Dippner, J.W., Hänninen, J., Kuosa, H., Vuorinen, I., 2001. The influence of climate variability on zooplankton abundance in the Northern Baltic Archipelago. *ICES Journal of Marine Science* 58: 569–578.
- Dippner, J.W., Kornilovs, G., Sidrevics, L., 2000. Long-term variability of mesozooplankton in the Central Baltic Sea. *J. Mar. Syst.* 25: 23–31.
- Downing, J.A., Rigler, F.A., (Eds.), 1984. *A Manual on Methods for the Assessment of Secondary Productivity in Fresh Waters.* IBP Handbook No 17, 2nd ed., Blackwell, Oxford. 501 pp.
- Durbin, A., Hebert, P.D.N., Cristescu, M.E.A., 2008. Comparative phylogeography of marine cladocerans. *Marine Biology* 155: 1–10.
- Dussart, B.H., Defaye, D., 1995. Introduction to the Copepoda. In: *Guides to the Identification of the Microinvertebrates of the Continental Waters of the World* (Dumont, H.J.F., Ed.), 7. SPB Academic Publishing, The Hague. 277 pp.
- Dussart, B.H., Defaye, D., 2001. Introduction to the Copepoda. In: *Guides to the Identification of the Microinvertebrates of the Continental Waters of the World* (Dumont, H.J.F., Ed.), 2nd ed., Backhuys, Leiden. 344 pp.
- Edmondson, W.T., 1971. Counting zooplankton samples. In: *A manual on the methods for the assessment of secondary productivity in fresh waters* (Edmondson, W.T., Winberg, G.G., Eds.), IPB Handbook 17, pp. 127–137. Blackwell Scientific Publications, Oxford and Edinburgh. 358 pp.
- Egloff, D.A., 1988. Food and growth relations of a marine microzooplankter, *Synchaeta cecilia* (Rotifera). *Hydrobiologia* 157: 129–141.
- Einsle, U., 1993. *Crustacea, Copepoda: Calanoida und Cyclopoida; Süßwasserfauna von Mitteleuropa.* Gustav Fischer Verlag, Stuttgart, Jena, New York. 208 pp.
- Faasse, M.A., Bayha, K.M., 2006. The ctenophore *Mnemiopsis leidyi* A. Agassiz 1865 in coastal waters of the Netherlands: an unrecognized invasion? *Aquatic Invasions* 1: 270–277.

- Feistel, S., Feistel, R., Nehring, D., Matthäus, W., Nausch, G., Naumann, M., 2016. Hypoxic and anoxic regions in the Baltic Sea, 1969–2015. *Meereswiss. Ber. Warnemünde* 100: 84 pp.
- Feistel, R., Nausch, G., Wasmund, N. (Eds.), 2008. State and evolution of the Baltic Sea, 1952 – 2005: a detailed 50-year survey of meteorology and climate, physics, chemistry, and marine environment. Wiley-Interscience, Hoboken, NJ. 703 pp.
- FEMA-FEHY, 2013. Fehmarnbelt Fixed Link EIA. Marine Water & Fauna & Flora - Baseline. Water Quality and Plankton of the Fehmarnbelt Area. Report No. E2TR0020(IV), 158 pp.
- Fenaux, R., Bone, Q., Deibel, D., 1998. Appendicularian distribution and zoogeography. In Bone, Q. (Ed.), *The Biology of Pelagic Tunicates*. Oxford University Press, London, pp. 252–264.
- Fennel, W., 1996. Wasserhaushalt und Strömungen. In: Rheinheimer, G. (ed.), *Meereskunde der Ostsee*, pp. 56–67. Springer Verlag, Berlin.
- Fernando, C.H., 2002. Zooplankton and tropical freshwater fisheries. In: *A Guide to Tropical Freshwater Zooplankton* (Fernando, C.H., Ed.), pp. 255–280. Backhuys Publishers, Leiden.
- Flinkman, J., Vuorinen, I., Aro, E., 1992. Planktivorous Baltic herring (*Clupea harengus*) prey selectively on reproducing copepods and cladocerans. *Can. J. Fish. Aquat. Sci.* 49: 73–77.
- Flinkman, J., Aro, E., Vuorinen, I., Viitasalo, M., 1998. Changes in northern Baltic zooplankton and herring nutrition from 1980s to 1990s: Top-down and bottom-up processes at work. *Mar. Ecol. Prog. Ser.* 165: 127–136.
- Flinkman, J., Pääkkönen, J.P., Saesmaa, S., Bruun, J.E., 2007. Zooplankton time series 1997–2005 in the Baltic Sea – life in a vice of bottom-up and top-down forces. *FIMR monitoring of the Baltic Sea Environmnet-annual report 2006*: 73–86.
- Flössner, D., 2000. *Die Haplopoda und Cladocera Mitteleuropas*. Backhuys Publishers, Leiden. 428 pp.
- Flynn, K.J., Mitra, A., 2009. Building the “perfect beast”: modelling mixotrophic plankton. *J. Plankton Res.* 31: 965–992. doi:10.1093/plankt/fbp044.
- Flynn, K.J., Mitra, A., Anestis, K., Anschütz, A.A., et al., 2019. Mixotrophic protists and a new paradigm for marine ecology: where does plankton research go now? *J. Plankt. Res.* 41 (4): 375–391. doi:10.1093/plankt/fbz026.
- Fransz, H.G., Colebrook, J.M., Gamble, J.C., Krause, M., 1991. The zooplankton of the North Sea. *Neth. J. Sea. Res.* 28: 1–52.
- Fryer, G., 1987. A new classification of the branchiopod Crustacea. *Zool. J. Linn. Soc.* 91: 357–383.
- Gelembiuk, G.W., May, G.E., Lee, C.E., 2006. Phylogeography and systematics of zebra mussels and related species. *Mol. Ecol.* 15: 1033–1050.
- Gerbersdorf, S.U., Schubert, H., 2011. Vertical migration of phytoplankton in coastal waters with different UVR transparency. *Environ. Sci. Eur.* 23, 36. <https://doi.org/10.1186/2190-4715-23-36>.
- Gerlach, S., 2000. *Checkliste der Fauna der Kieler Bucht und eine Bibliographie zur Biologie und Ökologie der Kieler Bucht. Die Biodiversität in der deutschen Nord- und Ostsee*. Bundesanstalt für Gewässerkunde Koblenz. 376 pp.
- Gibbons, M.J., 1997. *An Introduction to the Zooplankton of the Benguela Current Region*. Ocean Docs, 51 pp.
- Glibert, P.M., 2020. Harmful algae at the complex nexus of eutrophication and climate change. *Harmful Algae*. 91: 101583. <https://doi.org/10.1016/j.hal.2019.03.001>.
- Goetze, E., 2003. Cryptic speciation on the high seas: global phylogenetics of the copepod family Eucalanidae. *Proc. Biol. Sci.* 270: 2321–2331.
- Gollasch, S., Nehring, S., 2006. National checklist for aquatic alien species in Germany. *Aquatic Invasions* 1: 245–269.
- Gopko, M.V., Telesh, I.V., 2013. Estuarine trophic state assessment: New plankton index based on morphology of *Keratella* rotifers. *Estuarine, Coastal and Shelf Science* 130: 222–230.
- Gorokhova, E., 1998. Zooplankton spatial distribution and potential predation by invertebrate zooplanktivores. 2nd BASYS Annual Science Conference, 23–25.09.1998, Stockholm, Sweden.
- Gorokhova, E., Hansson, S., Högländer, H., Andersen, C.M., 2005. Stable isotopes show food web changes after invasion by the predatory cladoceran *Cercopagis pengoi* in a Baltic Sea bay. *Oecologia* 143(2): 251–259.
- Griffiths, F.B., Brown, G.H., Reid, D.D., Parker, R.R., 1984. Estimation of sample zooplankton abundance from Folsom splitter sub-samples. *J. Plankton Res.* 6 (5): 721–731.

- Guelpen, van L., Markle, D.F., Duggan, D.J., 1982. An evaluation of accuracy, precision, and speed of several zooplankton subsamples techniques. *J. Cons. int. Explor. Mer* 40: 226–236.
- Hällfors, G., Niemi, A., Ackefors, H., Lassig, J., Leppäkoski, E., 1981. Biological Oceanography. In Voipio, A. (Ed.): *The Baltic Sea*. Elsevier Oceanography Series: 219–275.
- Hansen, F.C., Möllmann, C., Schütz, U., Hinrichsen, H.H., 2004. Spatio temporal distribution of *Oithona similis* in the Bornholm Basin (Central Baltic Sea). *J. Plankton Res.* 26: 659–668.
- Hansen, F. C., Möllmann, C., Schütz, U., Neumann, T., 2006. Spatio temporal distribution of calanoid copepods in the central Baltic Sea. *J. Plankton Res.* 28: 39–54.
- Hansson, H.G., 2006. Ctenophores of the Baltic and adjacent Seas – the invader *Mnemiopsis* is here! *Aquatic Invasions* 1: 295–298.
- Haslob, H., Clemmesen, C., Schaber, M., Hinrichsen, H., Schmidt, J.O., Voss, R., Kraus, G., Köster, F.W., 2007. Invading *Mnemiopsis leidyi* as a potential threat to Baltic fish. *Mar. Ecol. Progr. Ser.* 349: 303–306.
- Hayward, P.J., Ryland, J.S. (Eds.), 2005. *Handbook of the Marine Fauna of North-West Europe*. Oxford University Press Inc., New York. 800 pp.
- HELCOM, 1988. Guidelines for the Baltic Monitoring Programme for the Third Stage. Part D. Biological Determinants. *Baltic Sea Environ. Proc. No. 27D*, 161 pp.
- HELCOM, 1990. Second periodic assessment of the state of the marine environment of the Baltic Sea Area, 1984–1988. Background document. *Baltic Sea Environment Proceedings No. 35B*. The Helsinki Commission.
- HELCOM, 2001. Environment of the Baltic Sea area 1994–1998. *Baltic Sea Environ Proc.* 82A: 1–24.
- HELCOM, 2005. Manual for marine monitoring in the COMBINE programme of HELCOM, Part C. <http://sea.helcom.fi/Monas/CombineManual2/PartC/CFrame.htm>.
- HELCOM, 2009. Biodiversity in the Baltic Sea-An integrated thematic assessment on biodiversity and nature conservation in the Baltic Sea. *Balt. Sea. Environ. Proc. No. 116B*.
- Hensen, V., 1887. Über die Bestimmung des Planktons oder des im Meere treibenden Materials an Pflanzen und Thieren. 5. Ber. d. Komm. z. Wiss. Unters. d. dt. Meere, Kiel 12-16: 1–109.
- Herlemann, D.P.R., Labrenz, M., Jürgens, K., Bertilsson, S., Waniek, J.J., Andersson, A.F., 2011. Transitions in bacterial communities along the 2000 km salinity gradient of the Baltic Sea. *ISME J.*, 1571e1579. <http://dx.doi.org/10.1038/ismej.2011.41>.
- Hernroth, L. (Ed.), 1985. Recommendations on methods for marine biological studies in the Baltic Sea. Mesozooplankton assessment. *BMB Publication* 10: 1–32.
- Hernroth, L., Ackefors, H., 1979. The zooplankton of the Baltic proper — a long-term investigation of the fauna, its biology and ecology. *Rep. Fish. Bd. Sweden, Inst. Mar. Res.* 2, 60 pp.
- Heyer, E., 1977. *Witterung und Klima*. Teubner Verlag, Leipzig. 4th ed.: 127 pp.
- Holliland, P.B., Ahlbeck, I., Westlund, E., Hansson, S., 2012. Ontogenetic and seasonal changes in diel vertical migration amplitude of the calanoid copepods *Eurytemora affinis* and *Acartia* spp. in a coastal area of the northern Baltic proper. *J. Plankton Res.* 34: 298–307.
- Holmborn, T., Goetze, E., Pollupüü, M., Pollumae, A., 2011. Genetic species identification and low genetic diversity in *Pseudocalanus acuspes* of the Baltic Sea. *J. Plankton Res.* 33: 507–515.
- Huys, R., Baxshall, G., 1991. *Copepod evolution*. The Ray Soc., London. 468 pp.
- ICES, 2000. *ICES Zooplankton Methodology Manual* (Harris, R.P., Wiebe, P.H., Lenz, J., Skjoldal, H.R., Huntley, M., Eds.). Academic Press, San Diego, San Francisco, New York, Boston, London, Sydney, Tokyo. 684 pp.
- ICES, 2002. "ICES/GLOBEC Sea-going Workshop for Intercalibration of Plankton Samplers. A compilation of data, metadata and visual material". ICES Cooperative Research Report, No. 250, May 2002 compiled and edited by Wiebe, P.H., Postel, L., Skjoldal, H.R., Knutsen, T., Allison, M.D., Groman, R.C., 25 pp., with four CD-ROM.
- Janas, U., Witek, Z., 1993. The occurrence of medusae in the Baltic and their importance in the ecosystem, with special emphasis on *Aurelia aurita*. *Oceanologia* 34: 69–84.
- Jansson, B.-O., 1972. *Ecosystem Approach to the Baltic Problem*. Swedish Natural Science Res. Com., Bull. Ecological Res. Com. 16. 82 pp.
- Javidpour, J., Sommer, U., Shiganova, T., 2006. First record of *Mnemiopsis leidyi* A. Agassiz 1865 in the Baltic Sea. *Aquatic Invasions* 1: 299–302.

- Johansson, S., 1983. Annual dynamics and production of rotifers in an eutrophication gradient in the Baltic Sea. *Hydrobiologia* 104: 335–340.
- Johansson, S., 1992. Regulating factors for coastal zooplankton community structure in the northern Baltic proper. Doctoral thesis, University of Stockholm, 33 pp.
- Kankaala, P., 1983. Resting eggs, seasonal dynamics, and production of *Bosmina longispina maritima* (P.E. Müller) (Cladocera) in the northern Baltic proper. *Journal of Plankton Research* 5: 53–69.
- Kankaala, P., 1987. Structure, dynamics and production of mesozooplankton community in Bothnian Bay, related to environmental factors. *Int. Revue ges. Hydrobiol.* 72: 121–146.
- Kankaala, P., Johansson, S., 1986. The influence of individual variation on length biomass regressions in three crustacean zooplankton species. *J. Plankton Res.* 8: 1027–1038.
- Karasiova, E.M., Ivanovich, V.M., Gribov, E.A., 2004. Introduction and distribution of *Cercopagis pengoi* in the Baltic Sea as an indicator of the climatic changes. *Fisheries and biological research by AtlantNIRO in 2002–2203, Hydrobionts Ecology. Trudy AtlantNIRO, Kaliningrad* 2: 45–56 (in Russian).
- Kerfoot, W.C., Lynch, M., 1987. Branchiopod communities: Association with planktivorous fish in space and time. In: *Predation: Direct and indirect impacts on aquatic communities* (Kerfoot, W.C., Sih, A., Eds.), pp. 367–378. The University Press of New England, Hanover (NH).
- Khanaychenko, A.N., Telesh I.V., Skarlato, S.O., 2019. Bloom-forming potentially toxic dinoflagellates *Prorocentrum cordatum* in marine plankton food webs. *Protistology* 13 (3): 95–125. doi: 10.21685/1680-0826-2019-13-3-1.
- Khlebovich, V.V., 1968. Some peculiar features of the hydrochemical regime and the fauna of mesohaline waters. *Mar. Biol.* 2: 47–49.
- Kinne, O., 1971. *Marine Ecology*. Wiley Interscience, London.
- Kipp, R.M., Benson, A., 2010. USGS Nonindigenous Aquatic Species Database. Gainesville: Geological Survey; [cited 2011 Jun 20]. Available from: <http://nas.er.usgs.gov/queries/factsheet.aspx?SpeciesID=169>; <http://nas.er.usgs.gov/queries/factsheet.aspx?SpeciesID=178>.
- Knowlton, N., 1993. Sibling species in the sea. *Annu. Rev. Ecol. System.* 24: 189–216.
- Kortum, G., 1996. Verkehr und Wirtschaft im Ostseeraum. In: Rheinheimer, G. (ed.), *Meereskunde der Ostsee*: 245–248. Springer Verlag, Berlin.
- Koste, W., 1978. Rotatoria. Die Rädertiere Mitteleuropas. Bd 1–2. Gebrüder Borntraeger, Berlin, Stuttgart.
- Kott, P., 1953. Modified whirling apparatus for the subsampling of plankton. *Austr. J. Mar. Freshw. Res.* 4: 387–393.
- Kremling, K., 1996. Ionenanomalien. In: Rheinheimer, G. (ed.), *Meereskunde der Ostsee*: 88–91. Springer Verlag, Berlin.
- Krylov, P.I., Bychenkov, D.E., Panov, V.E., Rodionova, N.V., Telesh, I.V., 1999. Distribution and seasonal dynamics of the Ponto-Caspian invader *Cercopagis pengoi* (Crustacea, Cladocera) in the Neva Estuary (Gulf of Finland). *Hydrobiologia* 393: 227–232.
- Kube, S., Hammer, C., Zimmermann, C., Sommer, U., Javidpour, J., Clemmesen, C., Boersma, M., Postel, L., 2007a. Die Invasion der räuberischen Rippenqualle *Mnemiopsis leidyi* in der Ostsee (The invasion of the carnivorous ctenophore *M. leidyi* in the Baltic Sea). Final Report. Leibniz Institute for Baltic Sea Res. 50 pp.
- Kube, S., Postel, L., Honnef, C., Augustin, C.B., 2007b. *Mnemiopsis leidyi* in the Baltic Sea – distribution and overwintering between autumn 2006 and spring 2007. *Aquatic Invasions* 2 (2): 137–146 (URL <http://www.aquaticinvasions.ru>).
- Larink, O., Westheide, W., 2006. *Coastal Plankton. Photo Guide for European Seas*. Verlag Dr. Friedrich Pfeil, München. 144 pp.
- Lass, H.U., Matthäus, W., 2008. General Oceanography of the Baltic Sea. In: Feistel, R., Nausch, G., Wasmund, N. (Eds.): *State and evolution of the Baltic Sea, 1925–2005*. John Wiley & Sons, 5–43.
- Latja, R., Salonen, K., 1978. Carbon analysis for the determination of individual biomasses of planktonic animals. *Verh. int. Verein. Limnol.* 20: 2556–2560.

- Laxson, C.L., McPhedran, K.N., Makarewicz, J.C., Telesh, I.V., MacIsaac H.J., 2003. Effects of the non-indigenous cladoceran *Cercopagis pengoi* on the lower food web of Lake Ontario. *Freshwater Biol.* 48: 2094–2106.
- Lee, C.E., 1999. Rapid and repeated invasions of fresh water by the copepod *Eurytemora affinis*. *Evolution* 53: 1423–1434.
- Lehtiniemi, M., Flinkman, J., 2007. The recent aquatic invasive species American comb jelly *Mnemiopsis leidyi* in the Baltic Sea. (URL http://www.helcom.fi/environment2/ifs/ifs2007/en_GB/mnemiopsis).
- Lehtiniemi, M., Gorokhova, E., 2008. Predation of the introduced cladoceran *Cercopagis pengoi* on the native copepod *Eurytemora affinis* in the northern Baltic Sea. *Mar. Ecol. Prog. Ser.* 362: 193–200.
- Lenz, J., 2000. Introduction, pp 1–30. In: ICES Zooplankton Methodology Manual (Harris, R., Skjoldal, H.R., Lenz, J., Wiebe, P., Huntley, M., Eds.). Academic Press, San Diego, San Francisco, New York, Boston, London, Sydney, Tokyo. 684 pp.
- Leppäkoski, E., Olenin, S., 2000. Non-native species and rates of spread: lessons from the brackish Baltic Sea. *Biol. Invas.* 2, 151e163.
- Lindquist, A., 1959. Studien fiber das Zooplankton der Bottensee II. Zur Verbreitung and Zusammensetzung des Zooplanktons. *Inst. mar. Res. Lysekil. Ser. Biol. Rep.* 11: 1–136.
- Litvinchuk, L.F., Telesh, I.V., 2006. Distribution, population structure, and ecosystem effects of the invader *Cercopagis pengoi* (Polyphemoidea, Cladocera) in the Gulf of Finland and the open Baltic Sea. *Oceanologia* 48 (S): 243–257.
- Lucas, C.H., Hirst, A.G., Williams, J.A., 1997. Plankton dynamics and *Aurelia aurita* production in two contrasting ecosystems: comparisons and consequences. *Estuar. Coast. Shelf Sci.* 45: 209–219.
- Lumberg, A., Ojaveer, E., 1991. On the environment and zooplankton dynamics in the Gulf of Finland in 1961–1990. *Proc. Estonian Acad. Sci. Ecol.* 1: 131–140.
- Lund, J.W.G., Kipling, C., LeCren, E.D., 1958. The inverted microscope method of estimating algal numbers and the statistical basis of estimations by counting. *Hydrobiologia* 11: 143–169.
- Mańkowski, W., 1948a. Macroplankton investigations in the Gulf of Gdańsk in June–July period 1946. *Prace MIR w Gdyni* 4: 121–138 (in Polish, English summary).
- Mańkowski, W., 1948b. Plankton investigations in the middle Baltic during the summer 1938. *Prace MIR w Gdyni* 4: 93–120 (in Polish, English summary).
- Mańkowski, W., 1950a. Macroplankton of the Gulf of Gdańsk in 1947. *Prace MIR w Gdyni* 5: 45–62 (in Polish, English summary).
- Mańkowski, W., 1950b. Plankton investigations of the Southern Baltic in 1948. *Prace MIR w Gdyni* 5: 71–102 (in Polish, English summary).
- Mańkowski, W., 1951. Maeroplankton of the Southern Baltic in 1949. *Prace MIR w Gdyni* 6: 83–94 (in Polish, English summary).
- Mańkowski, W., 1959. Maeroplankton investigations of the Southern Baltic in the period 1952–1955. *Prace MIR w Gdyni* 10 (A): 69–130 (in Polish, English summary).
- Matantseva, O., Pozdnyakov, I., Voss, M., Liskow, I., Skarlato, S., 2018. The uncoupled assimilation of carbon and nitrogen from urea and glycine by the bloom-forming dinoflagellate *Prorocentrum minimum*. *Protist.* 169(5): 603–614. <https://doi.org/10.1016/j.protis.2018.05.006>.
- Matantseva, O., Skarlato, S., Vogts, A., Pozdnyakov, I., Liskow, I., Schubert, H., Voss, M., 2016. Superposition of individual activities: urea-mediated suppression of nitrate uptake in the dinoflagellate *Prorocentrum minimum* revealed at the population and single-cell levels. *Front. Microbiol.* 7: 1310. <https://doi.org/10.3389/fmicb.2016.01310>.
- Matsakis, S., Conover, R.J., 1991. Abundance and feeding of medusae and their potential impact as predators on other zooplankton in Bedford Basin (Nova Scotia, Canada) during spring. *Can. J. Fish. Aquat. Sci.* 48: 1419–1430.
- Matthäus, W., Nehring, D., Feistel, R., Nausch, G., Mohrholz, V., Lass, H.U., 2008. The inflow of highly saline water into the Baltic Sea. – In: Feistel, R., Nausch, G., Wasmund, N. (Eds.) *State and Evolution of the Baltic Sea, 1952–2005*. John Wiley & Sons, Inc. Hoboken, New Jersey, 265–309.
- Meyer, J., Dahlke, S., Kafka, M., Kerkow, A., Lindener, C., Kube, S., Nawka, B.L., Schubert, H., Schumann, R., Blindow, I., 2019. Submerged vegetation in a shallow brackish lagoon does not enhance water clarity but offers substantial refuge for zooplankton. *Aquatic Botany* 154: 1–10.

- Mielck, W., Künne, C., 1932–1935. Fischbrut und Plankton Untersuchungen auf dem Reichsforschungsdapfer „Poseidon“ in der Ostsee, Mai–Juni 1931. *Wiss. Meeresunters., Abt. Helgoland, N.F.*, 19 (7): 1–120.
- Mironova, E.I., Telesh, I.V., Skarlato, S.O., 2009. Planktonic ciliates of the Baltic Sea. *Inland Water Biol.* 2(1): 13–24.
- Mironova, E.I., Telesh, I.V., Skarlato, S.O., 2012. Diversity and seasonality in structure of ciliate communities in the Neva Estuary (Baltic Sea). *J. Plankton Res.* 34 (3): 208–220.
- Mironova, E.I., Telesh, I.V., Skarlato, S.O., 2013. Planktonic ciliates of the Neva Estuary (Baltic Sea): community structure and spatial distribution. *Acta Protozoologica* 52: 13–23.
- Mironova, E.I., Telesh, I.V., Skarlato, S.O., 2014. Ciliates in plankton of the Baltic Sea. *Protistology* 8 (3): 81–124.
- Mohrholz, V., Naumann, M., Nausch, G., Krüger, S., Gräwe, U. 2015. Fresh oxygen for the Baltic Sea – An exceptional saline inflow after a decade of stagnation. *Journal of Marine Systems* 148: 152–166.
- Möller, H., 1980. Scyphomedusae as predators and food competitors of larval fish. *Meeresforschung* 28: 90–100.
- Möllmann, C., Kornilovs, G., Sidrevics, L., 2000. Long-term dynamics of main mesozooplankton species in the Central Baltic Sea. *J. Plankton Res.* 22: 2015–2038.
- Möllmann, C., Köster, F.W., 2002. Population dynamics of calanoid copepods and the implications of their predation by clupeid fish in the central Baltic Sea. *Journal of Plankton Research* 24: 959–977.
- Möllmann, C., Köster, F.W., Kornilovs, G., Sidrevics, L., 2002. Long-term trends in abundance of cladocerans in the central Baltic Sea. *Marine Biology* 141: 343–352.
- Möllmann, C., Köster, F.W., Kornilovs, G., Sidrevics, L., 2003. Interannual variability in population dynamics of calanoid copepods in the Central Baltic Sea. *ICES Marine Science Symposium* 219: 294–306.
- Möllmann, C., Kornilovs, G., Fetter, M., Köster, F.W., 2005. Climate, zooplankton, and pelagic fish growth in the central Baltic Sea. *ICES Journal of Marine Science* 62: 1270–1280.
- Naumenko, E.N., Telesh I.V., 2019. Impact of the invasive species *Cercopagis pengoi* (Ostroumov, 1891) on the structural and functional organization of zooplankton in the Vistula Lagoon of the Baltic Sea. *Rus. J. Biol. Invas.* 10 (3): 246–257. <http://link.springer.com/article/10.1134/S2075111719030081>
- Nessim, R.B., 1980. Untersuchungen zur Verteilung der Hauptkomponenten des Salzgehaltes im Wasser und Sediment der Darss Zingster Boddengewässer unter besonderer Berücksichtigung der Ionenanomalie sowie erste Erhebungen über den Schwermetallgehalt. Ph. D. thesis. University of Rostock, Rostock. 149 pp.
- Nielsen, R., Kristiansen, A., Mathiesen, L., Mathiesen, H. (Eds.), 1995. Distributional index of the benthic macroalgae of the Baltic Sea area. *The Baltic Marine Biologist Publication No. 18. Acta Bot. Fenn.* 155: 1–51.
- Nogrady, T., 1982. Rotifera. In: *Synopsis and Classification of Living Organisms* (Parker, S.P., Ed.), pp. 865–872. McGraw-Hill Book Co., New York, NY.
- Nogrady, T., Wallas, R.L., Snell, T.W., 1993. *Biology, Ecology and Systematics*. In: *Rotifera* (Nogrady, T., Ed.), Vol. 1, 142 pp. SPB Academic Publishing.
- Ojaveer, H., Lumberg, A., 1995. On the role of *Cercopagis (Cercopagis) pengoi* (Ostroumov) in Pärnu Bay and NE part of the Gulf of Riga ecosystem. *Proc. Estonian. Acad. Sci. Ecol.* 5: 20–25.
- Ojaveer, H., Kotta, J., Outinen, O., Einberg, H., Zaiko, A., Lehtiniemi M., 2021. Meta-analysis on the ecological impacts of widely spread nonindigenous species in the Baltic Sea. *Sci. Total Environ.* 786: 147375. <https://doi.org/10.1016/j.scitotenv.2021.147375>
- Ojaveer, E., Lumberg, A., Ojaveer, H., 1998. Highlights of zooplankton dynamics in Estonian waters (Baltic Sea). *ICES Journal Marine Science* 55: 748–756.
- Ojaveer, H., Jaanus, A., MacKenzie, B.R., Martin, G., Olenin, S., Radziejewska, T., Telesh, I., Zettler, M.L., Zaiko, A., 2010. Status of biodiversity in the Baltic Sea. *PLoS ONE* 5 (9), e12467. <http://dx.doi.org/10.1371/journal.pone.0012467>.

- Olenin, S., Gollasch, S., Lehtiniemi, M., Sapota, M., Zaiko A., 2017. Biological invasions. In: Biological Oceanography of the Baltic Sea (Eds: Snoeijs-Leijonmalm P., Schubert H. and Radziejewska T.). Springer Science+Business Media, Dordrecht, pp. 193–232. https://link.springer.com/chapter/10.1007/978-94-007-0668-2_5.
- Olenina, I., Wasmund, N., Hajdu, S., Jurgensone, I., Gromisz, S., Kownacka, J., et al., 2010. Assessing impacts of invasive phytoplankton: the Baltic Sea case. *Mar. Pollut. Bull.* 60: 1691–1700. <https://doi.org/10.1016/j.marpolbul.2010.06.046>.
- Olesen, N.J., 1995. Clearance potential of jellyfish *Aurelia aurita*, and predation impact on zooplankton in a shallow cove. *Mar. Ecol. Prog. Ser.* 124: 63–72.
- Olszewska, A., 2006. New records of *Cercopagis pengoi* (Ostroumov 1891) in the southern Baltic. *Oceanologia* 48 (2): 319–321.
- Omori, M., Ikeda, T., 1984. *Methods in Marine Zooplankton Ecology*. J. Wiley and Sons, New York, Chichester, Brisbane, Toronto, Singapore. 332 pp.
- Omori, M., Ishii, H., Fujinaga, A., 1995. Life history strategy of *Aurelia aurita* (Cnidaria, Scyphomedusae) and its impact on the zooplankton community of Tokyo Bay. *ICES J. Mar. Sci.* 52: 597–603.
- Ostenfeld, C.H., 1931. Concluding remarks on the plankton collected on the quarterly cruises in the years 1902–1908. *Bull. Trimestriel résultats acquis pendant les croisières périodiques etc., Quatrième partie*, pp. 601–672.
- Panov, V.E., Krylov, P.I., Telesh, I.V., 1996. The Caspian cladoceran *Cercopagis pengoi* invades the Gulf of Finland. *Baltic Float. Univ. Res. Bull.* 2: 80–81.
- Pechkovskaya, S.A., Knyazev, N.A., Matantseva, O.V., Emelyanov, A.K., Telesh, I.V., Skarlato, S.O., Filatova, N.A., 2020. *Dur3* and *nrt2* genes in the bloom-forming dinoflagellate *Prorocentrum minimum*: Transcriptional responses to available nitrogen sources. *Chemosphere* 241: 125083. <https://doi.org/10.1016/j.chemosphere.2019.125083>.
- Pennak, R.W., 1978. *Fresh-water Invertebrates of the United States*, 2nd ed. John Wiley & Sons, Inc., New York.
- Poggensee, E., Lenz, J., 1981. On the population dynamics of two brackish-water Cladocera *Podon leuckarti* and *Evadne nordmanni* in Kiel Fjord. *Kiel Meeresforsch. Sonderh.* 5: 268–273.
- Pollumäe, A., Väljataga, K., 2004. *Cercopagis pengoi* (Cladocera) in the Gulf of Finland: environmental variables affecting its distribution and interaction with *Bosmina coregoni maritima*. *Proc. Estonian Acad. Sci. Biol. Ecol.* 53: 276–282.
- Pontin, R.M., 1978. *A Key to British Freshwater Planktonic Rotifera*. Freshwater Biological Association, Scientific Publication No. 38. Cumbria, UK. 178 p.
- Postel, L., 1995. Zooplankton. Pp. 150–160. In: *Meereskunde der Ostsee*, Hrsg. G. Rheinheimer. Springer Berlin, Heidelberg, New York, Barcelona, Budapest, Hong Kong, London, Milan, Paris, Santa Clara, Singapore, Tokyo. 338 pp.
- Postel, L., 2012. Mesozooplankton diversity, reproduction modes, and potential invasibility in the Baltic Sea. *Cah. Biol. Mar.* 53: 327–336.
- Postel, L., Behrends, G., Olsonen, R., 1996. Overall assessment. Pelagic biology. Zooplankton, pp. 215–222. In: HELCOM, Third periodic assessment of the state of the marine environment of the Baltic Sea, 1989–1993; Background document. *Baltic Sea Environment Proceedings* 64B. 252 pp.
- Postel, L., Fock, H., Hagen, W., 2000. Biomass and abundance. Pp. 83–192. In: *ICES Zooplankton methodology manual* (Harris, R., Skjoldal, H.R., Lenz, J., Wiebe, P., Huntley, M., Eds.). Academic Press, San Diego, San Francisco, New York, Boston, London, Sydney, Tokyo. 684 pp.
- Postel, L., da Silva, A.J., Mohrholz, V., Lass, H.U., 2007. Zooplankton biomass variability off Angola and Namibia investigated by a lowered ADCP and net sampling. *J. Mar. Systems* 68: 143–166.
- Postel, L., Simon, H., Guiard, V., 2007. Individual-specific carbon mass determination of zooplankton taxa of the open Baltic Sea basing on length-biomass relationships and conversion factors. Final Report (in German). IOW, Warnemünde. 125 pp.
- Pourriot, R., 1977. Food and feeding habits of Rotifera. *Arch. Hydrobiol. Beih. Ergebn. Limnol.* 8: 243–260.
- Ptacnik, R., Olli, K., Lehtinen, S., Tamminen, T., Andersen, T., 2011. Does plankton diversity peak at intermediate salinities? Comment on Telesh et al. (2011). *Mar. Ecol. Prog. Ser.* 432: 291–292.
- Purasjoki, K.J., 1958. Zur Biologie der Brackwasserkladozere *Bosmina coregoni maritima* (P.E. Müller). *Ann. Zool. Soc. „Vanamo“* 19 (2): 1–117.

- Purcell, J.E., 1992. Effects of predation by the scyphomedusan *Chrysaora quinquecirrha* on zooplankton populations in Chesapeake Bay, USA. *Mar. Ecol. Prog. Ser.* 87: 65–76.
- Quinones, R.A., Platt, T., Rodríguez, J., 2003. Patterns of biomass-size spectra from oligotrophic waters of the Northwest Atlantic. *Progress in Oceanography* 57 (3–4): 405–427.
- Rajasilta, M., Hänninen, J., Vuorinen, I., 2014. Decreasing salinity improves the feeding conditions of the Baltic herring (*Clupea harengus membras*) during spring in the Bothnian Sea, northern Baltic. *ICES J. Mar. Sci.* <http://dx.doi.org/10.1093/icesjms/fsu047>.
- Remane, A., 1934. Die Brackwasserfauna. *Zool. Anz. (Suppl.)* 7: 34–74.
- Remane, A., 1940. Einführung in die zoologische Ökologie der Nord- und Ostsee. In *Die Tierwelt der Nord- und Ostsee* (Grimpe, G., Hrsg.). Akad. Verlagsgesellschaft Becker und Edler Kom. Ges., Leipzig. 238 pp.
- Renz, J., Hirche, H.J., 2006. Life cycle of *Pseudocalanus acuspes* Giesbrecht (Copepoda, Calanoida) in the Central Baltic Sea: seasonal and spatial distribution. *Mar. Biol.* 148: 567–580.
- Ricciardi, A., Iacarella, J.C., Aldridge, D.C., Blackburn, T.M., Carlton, J.T., Catford, J.A., et al., 2021. Four priority areas to advance invasion science in the face of rapid environmental change. *Environ. Rev.* 29: 119–141. <https://doi.org/10.1139/er-2020-0088>.
- Richter, S., Braband, A., Aladin, N., & Scholtz, G., 2001. The phylogenetic relationships of “predatory water-fleas” (Cladocera: Onychopoda, Haplopoda) inferred from 12S rDNA. *Molecular Phylogenetics and Evolution* 19: 105–113.
- Rodionova, N.V., Krylov, P.I., Panov, V.E., 2005. Invasion of the Ponto-Caspian predatory cladoceran *Cornigerius maeoticus maeoticus* (Pengo, 1879) into the Baltic Sea. *Oceanology* 45: 66–68.
- Rodionova, N.V., Panov, V.E., 2006. Establishment of the Ponto-Caspian predatory cladoceran *Evadne anonyx* in the eastern Gulf of Finland, Baltic Sea. *Aquatic Invasions* 1: 7–12.
- Rudstam, L.G., Hansson, S., Johansson, S., Larsson, U., 1992. Dynamics of planktivory in a coastal area of the northern Baltic Sea. *Mar. Ecol. Prog. Ser.* 80: 159–173.
- Russel, F.S., 1970. The medusae of the British Isles. II. Pelagic Scyphozoa with a supplement to the first volume on Hydromedusae. The University Press, Cambridge. 284 pp.
- Salonen, K., 1979. A versatile method for rapid and accurate determination of carbon by high temperature combustion. *Limnol. Oceanogr.* 24: 177–185.
- Scheer, A., 1998. Quellen, Verteilung und UV Stabilität gelöster organischer Verbindungen (DOM) in der Darss Zingster Boddenkette. (Diploma thesis). University of Rostock, Rostock. 61 pp.
- Schiewer, U. (Ed.), 2008. *Ecology of Baltic Coastal Waters*. Springer-Verlag, Berlin, Heidelberg. 428 pp.
- Schlungbaum, G., 1979. Untersuchungen über die Sedimentqualität in den Gewässern der Darss Zingster Boddenkette unter besonderer Berücksichtigung der Stoffaustauschprozesse zwischen Wasser und Sediment. (Dissertation). University of Rostock, Rostock. 160 pp.
- Schneider, G., Behrends, G., 1998. Top-down control in a neritic plankton system by *Aurelia aurita* medusae – a summary. *Ophelia* 48: 71–82.
- Schnese, W., 1973. Relations between phytoplankton and zooplankton in brackish coastal waters. *Oikos (Supplement)* 15: 28–33.
- Schubert, H., Sagert, S., Forster, R.M., 2001. Evaluation of the different levels of variability in the underwater light field of a shallow estuary. *Helgol. Mar. Res.* 55: 12–22.
- Schubert, H., Feuerpfeil, P., Marquardt, R., Telesh, I.V., Skarlato, S.O., 2011. Macroalgal diversity along the Baltic Sea salinity gradient challenges Remane’s species-minimum concept. *Marine Pollution Bulletin* 62 (9): 1948–1956.
- Schulz, J., Hirche, H.J. 2007. Living below the halocline: strategies of deep-living species in the highly stratified brackish Bornholm Basin (central Baltic Basin). *J. Plankton Res.* 29: 881–894.
- Schulz, J., Möllmann, C., Hirche, H.J., 2007. Vertical zonation of the zooplankton community in the Central Baltic Sea in relation to hydrographic stratification as revealed by Multivariate Discriminant Function- and Canonical Analysis. *Journal of Marine Systems* 67: 47–58.
- Schulz, J., Peck, M. A., Barz, K., Schmidt, J. O, Hansen, F. C., Peters, J., Renz, J., Dickmann, M., Mohrholz, V., Dutz, J., Hirche, H.-J., 2012. Spatial and temporal habitat partitioning by zooplankton in the Bornholm Basin (central Baltic Sea). *Prog. Oceanogr.* 107: 3–30.
- Sell, D.W., Evans, M.S., 1982. A statistical analysis of subsampling and an evaluation of the Folsom plankton splitter. *Hydrobiologia* 94: 223–230.

- Semenova, A.S., 2011. Proportion of dead individuals in the zooplankton of the Curonian Lagoon of the Baltic Sea. *Inland Water Biology* 4: 332–340.
- Sewell, R.B., 1948. The free-swimming planktonic Copepoda, Systematic account. Sc. Rep. John Murray Expedition (British Museum Nat. History), pp. 1–303.
- Silina, N.I., 1997. Zooplankton and its participation in the biotic turnover. In International Project “Baltica”, Issue 5: Ecosystem Models. Assessment of the Modern State of the Gulf of Finland, Part II (Davida, I.N., Savchuk, O.P., Eds.), pp. 390–404. Gidrometeoizdat, St. Petersburg (in Russian).
- Siudziński, K., 1965. Macroplankton investigation in the southern Baltic in the period 1956–1959. *Prace MIR w Gdyni* 13 (A): 7–41.
- Skarlato, S., Filatova, N., Knyazev, N., Berdieva, M., Telesh, I., 2018a. Salinity stress response of the invasive dinoflagellate *Prorocentrum minimum*. *Estuar. Coast. Shelf Sci.* 211: 199–207. <https://doi.org/10.1016/j.ecss.2017.07.007>
- Skarlato, S.O., Telesh, I.V., Matantseva, O.V., Pozdnyakov, I.A., Berdieva, M.A., Schubert, H., Filatova, N.A., Knyazev, N.A., Pechkovskaya, S.A., 2018b. Studies of bloom-forming dinoflagellates *Prorocentrum minimum* in fluctuating environment: contribution to aquatic ecology, cell biology and invasion theory. *Protistology* 12(3): 113–157. doi: 10.21685/1680-0826-2018-12-3-1.
- Snoeijls-Leijonmalm, P., Schubert, H., Radziejewska, T. (Eds), 2017. Biological Oceanography of the Baltic Sea. Springer Science+Business Media Dordrecht, 683 p. DOI 10.1007/978-94-007-0668-2.
- Storch, V., Welsch, U. (Eds.), 1999. Kükenthals Leitfaden für das zoologische Praktikum. 23rd Edition. Spektrum, Akad. Verl. Heidelberg, Berlin. 508 pp.
- Strübing, K., 1996. Eisverhältnisse. In: Rheinheimer, G. (ed.), *Meereskunde der Ostsee*: 81–86. Springer Verlag, Berlin.
- Sukhikh, N.M., Alekseev, V.R., Lazareva V.I., 2020. Copepod *Eurytemora caspica* Sukhikh & Alekseev, 2013 (CRUSTACEA, CALANOIDA) in Volga and Kama reservoirs. *Inland Water Biology* 13 (2): 198–205.
- Sukhikh, N., Souissi, A., Souissi, S., Alekseev, V., 2013. Invasion of *Eurytemora* sibling species (Copepoda: Temoridae) from north America into the Baltic Sea and European Atlantic coast estuaries. *Journal of Natural History* 47 (5–12): 753–767.
- Tanskanen, S., 1994. Seasonal variability in the individual carbon content of the calanoid copepod *Acartia bifilosa* from the northern Baltic Sea. *Hydrobiologia* 292/293: 397–403.
- Telesh, I.V., 1987. Planktonic rotifers and crustaceans. In: *Neva Bay: Hydrobiological investigations* (Winberg, G.G., Gutelmakher, B.L., Eds.). Nauka, Leningrad, pp. 81–103 (in Russian).
- Telesh, I.V., 1988. Composition and abundance of zooplankton in the macrophytes associations. In: *Proceedings Zool. Inst. Acad. Sci. USSR, Leningrad*, 186: 17–20 (in Russian).
- Telesh, I.V., 1995. Rotifer assemblages in the Neva Bay, Russia: principles of formation, present state and perspectives. *Hydrobiologia* 313/314: 57–62.
- Telesh, I.V., 2001. Zooplankton studies in the Neva Estuary (Baltic Sea): a brief excursion into history. *Proc. Estonian Acad. Sci. Biol. Ecol.* 50 (3): 200–210.
- Telesh, I.V., 2004. Plankton of the Baltic estuarine ecosystems with emphasis on Neva Estuary: a review of present knowledge and research perspectives. *Marine Poll. Bull.* 49: 206–219.
- Telesh, I.V., 2006a. Impact of biological invasions on the diversity and functioning of zooplankton communities in estuarine ecosystems of the Baltic Sea. *Proc. Samara Sci. Center RAS* 8: 220–232 (in Russian, with English summary).
- Telesh, I.V., 2006b. Species diversity and functioning of zooplankton communities in lakes, rivers and estuaries. Abstract of the Doctoral Thesis, St. Petersburg. 45 pp. (in Russian).
- Telesh, I.V., 2008. Species diversity and community structure of zooplankton in the Neva Estuary. In: *The Neva Estuary ecosystem: biological diversity and ecological problems* (Alimov, A.F., Golubkov, S.M., Eds.). KMK, Moscow, pp. 144–156 (in Russian).
- Telesh, I.V. (Ed.), 2022. IV All-Russian conference with international participation “Frontiers in Plankton Research”. Conference materials. KSTU, Kaliningrad. 232 p. (In Russian).
- Telesh, I.V., Heerkloss, R., 2002. Atlas of Estuarine Zooplankton of the Southern and Eastern Baltic Sea. Part I: Rotifera. Verlag Dr. Kovač, Hamburg. 89 pp. (with CD).

- Telesh, I.V., Heerkloss, R., 2004. Atlas of Estuarine Zooplankton of the Southern and Eastern Baltic Sea. Part II: Crustacea. Verlag Dr. Kovač, Hamburg. 118 pp. (with CD).
- Telesh I.V., Naumenko E.N., 2021. The impact of nuisance planktonic invaders on pelagic communities: a review of the Baltic Sea case studies. *Protistology*, 15 (4): 206–219; doi:10.21685/1680-0826-2021-15-4-2.
- Telesh, I.V., Ojaveer, H., 2002. The predatory water flea *Cercopagis pengoi* in the Baltic Sea: Invasion history, distribution and implications to ecosystem dynamics. In: E. Leppakoski et al. (Eds.), *Invasive Aquatic Species of Europe*, Kluwer Academic Publishers, pp. 62–65.
- Telesh, I.V., Skarlato, S.O., 2022. Studies of cellular and molecular mechanisms coupled with physico-chemical and ecological prerequisites of harmful algal blooms secure advanced research prospects in planktonology. *Protistology* 16 (3): 149–160. <https://doi.org/10.21685/1680-0826-2022-16-3-1>.
- Telesh, I.V., Golubkov, S.M., Alimov, A.F., 2008a. The Neva Estuary Ecosystem. In: U. Schiewer (Ed.), *Ecology of Baltic Coastal Waters*, Ecological Studies, 197. Springer-Verlag, Berlin, Heidelberg, pp. 259–284.
- Telesh, I.V., Khanaychenko, A.N., Skarlato, S.O., 2020. The interplay of two invaders: can blooms of the potentially toxic dinoflagellates *Prorocentrum cordatum* be downregulated by the neritic copepods *Acartia tonsa*? *Protistology* 14(3): 103–111. doi:10.21685/1680-0826-2020-14-3-1.
- Telesh, I.V., Litvinchuk, L.F., Bolshagin, P.V., Krylov, P.I., Panov, V.E., 2000. Peculiarities of biology of the Ponto-Caspian species *Cercopagis pengoi* (Crustacea: Onychopoda) in the Baltic Sea. In: *Invasive species in the European seas of Russia*, Murmansk, Apatity, pp. 130–151 (in Russian).
- Telesh, I., Postel, L., Heerkloss, R., Mironova, E., Skarlato, S., 2008b. Zooplankton of the Open Baltic Sea: Atlas. BMB Publication 20 – Meereswiss. Ber. Warnemünde 73: 1–251 (http://www.io-warnemuende.de/documents/mebe73_2008-telesh-lpostel.pdf).
- Telesh, I., Postel, L., Heerkloss, R., Mironova, E., Skarlato, S., 2009. Zooplankton of the Open Baltic Sea: Extended Atlas. BMB Publ. 21 – Meereswiss. Ber. Warnemünde 76: 1–290 (<http://io-warnemuende.de/marine-science-reports.html>).
- Telesh, I.V., Rahkola, M., Viljanen, M., 1998. Carbon content of some freshwater rotifers. *Hydrobiologia* 387/388: 355–360.
- Telesh, I.V., Schubert, H., Skarlato, S.O., 2011a. Revisiting Remane's concept: Evidence for high plankton diversity and a protistan species maximum in the horohalinicum of the Baltic Sea. *Mar. Ecol. Prog. Ser.* 421: 1–11.
- Telesh, I.V., Schubert, H., Skarlato, S.O., 2011b. Protistan diversity does peak in the horohalinicum of the Baltic Sea: Reply to Ptacnik et al. (2011). *Mar. Ecol. Prog. Ser.* 432: 293–297.
- Telesh, I.V., Schubert, H., Skarlato, S.O., 2013. Life in the salinity gradient: Discovering mechanisms behind a new biodiversity pattern. *Estuarine Coastal and Shelf Science* 135: 317–327.
- Telesh, I.V., Schubert, H., Skarlato, S.O., 2015. Size, seasonality, or salinity: What drives the protistan species maximum in the horohalinicum? *Estuarine, Coastal and Shelf Science* 161: 102–111. doi: 10.1016/j.ecss.2015.05.003.
- Telesh, I.V., Schubert, H., Skarlato, S.O., 2016. Ecological niche partitioning of the invasive dioflagellate *Prorocentrum minimum* and its native congeners in the Baltic Sea. *Harmful Algae* 59: 100–111. <http://dx.doi.org/10.1016/j.hal.2016.09.006>.
- Telesh, I., Schubert, H., Skarlato, S., 2021. Abiotic stability promotes dinoflagellate blooms in marine coastal ecosystems. *Estuarine, Coastal and Shelf Science* 251: 107239; <https://doi.org/10.1016/j.ecss.2021.107239>.
- Telesh, I., Skarlato, S., Kube, S., Rohde, H., Schubert, H., 2015. Zooplankton of the Baltic Sea: Introduction to the Distant Learning Module. Universität Rostock. Rostock & St. Petersburg. 124 p.
- Tiesel, R., 1996. Das Wetter. In: Rheinheimer, G. (Ed.), *Meereskunde der Ostsee*: 46–55. Springer Verlag, Berlin.
- Titelman, J., Fiksen, Ø., 2004. Ontogenetic vertical distribution patterns in small copepods: field observations and model predictions. *Mar. Ecol. Prog. Ser.* 284: 49–63.
- Uitto, A., Gorokhova, E., Valipakka, P., 1999. Distribution of the non-indigenous *Cercopagis pengoi* in the coastal waters of the eastern Gulf of Finland. *ICES Journal of Marine Science* 56 (Suppl.): 49–57.

- UNESCO, 1968. Zooplankton sampling. Monographs on oceanographic methodology 2. The UNESCO Press, Paris. 174 pp.
- Viitasalo, M., Vuorinen, I., Ranta, E., 1990. Changes in crustacean mesozooplankton and some environmental parameters in the Archipelago Sea (Northern Baltic) in 1976–1984. *Ophelia* 31: 207–217.
- Viitasalo, M., Vuorinen, I., Saesmaa, S., 1995. Mesozooplankton dynamics in the northern Baltic Sea: implications of variations in hydrography and climate. *J. Plank. Res.* 17: 1857–1878.
- Vuorinen, I., 1987. Vertical migration of *Eurytemora* (Crustacea, Copepoda) – a compromise between the risks of predation and fecundity. *J. Plankton Res.* 9: 1037–1046.
- Vuorinen, I., Hänninen, J., Viitasalo, M., Helminen, U., Kuosa, H., 1998. Proportion of copepod biomass declines together with decreasing salinities in the Baltic Sea. *ICES Journal Marine Science* 55: 767–774.
- Vuorinen, I., Ranta, E., 1987. Dynamics of marine mesozooplankton at Seili, Northern Baltic Sea, in 1967–1975. *Ophelia* 28: 31–48.
- Vuorinen, I., Hänninen, J., Rajasilta, M., Laine, P., Eklund, J., Montesino-Pouzols, F., Corona, F., Junker, K., Meier, H.E.M., Dippner, J., 2015. Scenario simulations of future salinity and ecological consequences in the Baltic Sea and adjacent North Sea areas – implications for environmental monitoring. *Ecol. Indic.* 50, 196e205.
- Wallace, R.L., 1987. Coloniality in the phylum Rotifera. *Hydrobiologia* 147: 141–155.
- Wasmund, N., Pollehne, F., Postel, L., Siegel, H., Zettler, M.L., 2004. Assessment of the biological state of the Baltic Sea in 2004. *Meereswiss. Ber. Warnemünde* 60: 1–87.
- Wasmund, N., Pollehne, F., Postel, L., Siegel, H., Zettler, M.L., 2006. Biologische Zustandseinschätzung der Ostsee im Jahre 2005. *Meereswiss. Ber. Warnemünde* 69: 1–78. (http://www.io-warnemuende.de/documents/mebe69_2005-zustand-bio.pdf).
- Wattenberg, H., 1949. Entwurf einer natürlichen Einteilung der Ostsee. *Kieler Meeresf.* 6: 10–15.
- Westheide, W., Rieger, R., 1996. *Spezielle Zoologie, Teil 1: Einzeller und Wirbellose Tiere*. Gustav Fischer Verlag, Stuttgart, Jena, New York. 909 pp.
- Whitfield, A.K., Elliott, M., Basset, A., Blaber, S.J.M., West, R.J., 2012. Paradigms in estuarine ecology – a review of the Remane diagram with a suggested revised model for estuaries. *Estuar. Coast. Shelf Sci.* 97: 78–90.
- Wiebe, P.H., Benfield, M.C., 2003. From the Hensen net towards 4-D biological oceanography. *Progress in Oceanography* 56: 7–136.
- Wiktor, K., 1964. Die Ausnutzung des Zooplanktons durch planktonfressende Fische in Abhängigkeit von abiotischen Faktoren im Oderhaff. *Helgoland Marine Research* 10: 448–455.
- Witek, Z., 1995. Biological production and its utilization in marine ecosystem of the Western part of the Gdańsk Basin. Marine Fishery Institute, Gdynia. 145 pp.
- Witek, Z., Krajewska-Soltys, A., 1989. Some examples of epipelagic plankton size structure in high latitude oceans. *J. Plankton Res.* 11: 1143–1155.
- Wulff, F.V., Rahm, L.A., Larsson, P. (Eds.), 2001. *A system analysis of the Baltic Sea*. Springer, Berlin. 449 pp.
- Zenkewitch, L., 1963. *Biology of the seas of the USSR*. John Wiley & Sons Inc., London, New York. 955 pp.